ELSEVIER

Carbohydrate Research 281 (1996) C11–C12

CARBOHYDRATE RESEARCH

Author index

Agblevor, F.A. 219
Åman, P. 161
Andersson, R. 161, 161
Anulewicz, R. 1

Bacic, A. 187
Baldwin, S.D. 219
Baudat, A. 277
Behr, T. 79

Caron, S. 179
Chen, S. 35
Choe, J.-y. 203
Chum, H.L. 219
Clive, D.L.J. 69
Contour-Galcera, M.-O. 99, 119
Currie, G. 187

Defaye, J. 99, 119
Ding, Y. 119
Duchaussoy, P. 253

Egge, H. 79
Ehara, T. 237
Emmel, S. 183
Eriksson, I. 161
Evans, R.J. 219

Fischer, W. 79
Flaherty, T.M. 173
Frank, M. 61
Freese, S.J. 313
Fu, H.-X. 301
Fuchs, E.B. 203

Gelas, J. 99
Gervay, J. 173
Giffhorn, F. 183
Guillot, J.-M. 99
Gutiérrez, A. 143

Hahn, R.S. 203
Hartmann, R. 79
Hasegawa, A. 237
Hashimoto, S. 285
Heathcock, C.H. 179
Huang, X.-Y. 301
Huwig, A. 183

Ishida, H. 237

Kaiwa, M. 129
Kameyama, A. 237
Kimura, I. 285
Kimura, K. 285
Kiso, M. 237
Klein, R.A. 79
Kobayashi, J.-i. 307
Kováč, P. 47

Lai, L. 35
Lei, P.-s. 47
Lipták, A. 61
Lu, S.-J. 301

Ma, L. 35
Machetto, F. 253
Mallet, J.-M. 253
Manca, M.C. 155
Martínez, A.T. 143
McDonald, A.I. 179
Messmer, A. 321
Meyer, B. 11
Miethchen, R. 61, 293

Nagaoka, M. 285

Ogawa, Y. 47
Ortiz-Mellet, C. 99, 119
Oshikawa, T. 307
Ott, K.-H. 11

Petitou, M. 253
Pflieger-Carrara, F. 99
Picasso, S. 277
Piekarska-Bartoszewicz, B. 1
Pintér, I. 321
Prieto, A. 143

Railton, C.J. 69
Read, S.M. 187
Reinke, H. 293
Rentsch, D. 61, 293
Robyt, J.F. 203

Sakakibara, T. 129
Sándor, P. 321
Sawada, H. 285
Seo, K. 307
Seta, A. 129
Shibata, H. 285
Sinaÿ, P. 253

Tabeur, C. 253
Tang, Y. 35
Temeriusz, A. 1
Tokuda, K. 129
Tu, G. 35

Vann, W.F. 313
Vogel, P. 277

Wang, A.-L. 301
Wang, D. 219
Wang, H.-Q. 301
Wawer, I. 1
Weintraub, A. 155
Westerlund, E. 161
Widmalm, G. 155

Xu, X. 35

Yamada, Y. 237
Yamashita, M. 307
Yokokura, T. 285

Zhang, R. 35
Zsoldos-Mády, V. 321

ELSEVIER

Carbohydrate Research 281 (1996) C13–C17

CARBOHYDRATE RESEARCH

Subject index

N-Acetylmannosamine
Synthesis of 2-acetamido-3-*O*-acetyl-2-deoxy-D-mannose phosphoramidites 313
N-Acetylmannosamine phosphoramidites
Synthesis of 2-acetamido-3-*O*-acetyl-2-deoxy-D-mannose phosphoramidites 313
Acid modification
Acid modification of starch granules in alcohols: effects of temperature, acid concentration, and starch concentration 203
D-Altropyranosyl fluoride
The molecular and crystal structure of two trichloroethylidene acetals of epimerized monosaccharides 293
Amide isomerism
New imino sugar derivatives from a 6-azido-6-deoxy sugar formazan 321
Amino sugar
Synthesis of 3-acetamido-1,2,4-tri-*O*-acetyl-3,5-dideoxy-5-*C*-[(*R*)- and (*S*)-phenylphosphinyl]-α-and -β-D-xylopyranoses 307
Anhydrohexos-4-ulose
An improved synthesis of 1,6-anhydro-2,3-di-*O*-benzyl-β-D-*xylo*-hexopyranos-4-ulose 179
O-Antigen
Structural studies of the *Escherichia coli* O26 O-antigen polysaccharide 155
Antigen, tumor-associated
Total synthesis of VIM-2 ganglioside isolated from human chronic myelogenous leukemia cells 237
Arabinan
Structural features of an arabinan fragment isolated from the water-soluble fraction of dehulled rapeseed 161
D-Arabinopyranose
The molecular and crystal structure of two trichloroethylidene acetals of epimerized monosaccharides 293
Azasugars
Synthesis of (+)-3,7,8-trideoxy-3,7-imino-D-*threo*-L-*galacto*-octitol and its inhibition of β-glucosidases 277
Azido sugars
New imino sugar derivatives from a 6-azido-6-deoxy sugar formazan 321

Bifidobacteria
Structure of a galactan from cell walls of *Bifidobacterium catenulatum* YIT4016 285
Bioconversion
Preparation of D-sorbose from L-glucitol by bioconversion with *Pseudomonas* sp. Ac 183

Carbohydrates
A convenient new pathway for stereospecific epimerization of monosaccharide moieties in disaccharides 61
Carbon–phosphorus bond
Synthesis of 3-acetamido-1,2,4-tri-*O*-acetyl-3,5-dideoxy-5-*C*-[(*R*)- and (*S*)-phenylphosphinyl]-α-and -β-D-xylopyranoses 307
^{13}C CP MAS solid-state NMR
Crystal structure and solid-state NMR analysis of methyl 2,3,6-tri-*O*-acetyl-2-deoxy-2-[3-(2-phenylethyl)-ureido]-β-D-glucopyranoside 1
Cellulose pyrolysis
Mass spectrometric studies of the thermal decomposition of carbohydrates using ^{13}C-labeled cellulose and glucose 219
Cell wall
Structure of a galactan from cell walls of *Bifidobacterium catenulatum* YIT4016 285
Chain extension
Wittig chain extension of unprotected carbohydrates: formation of carbohydrate-derived α,β-unsaturated esters 69

Chair
The aqueous solution structure of a lipoteichoic acid from *Streptococcus pneumoniae* strain R6 containing 2,4-diamino-2,4,6-trideoxy-galactose: evidence for conformational mobility of the galactopyranose ring 79
Chemical shift assignment
2D NMR Analysis of the polylactone derivative of colominic acid. Complete ^{1}H and ^{13}C NMR chemical shift assignments 173
Chloral acetals
A convenient new pathway for stereospecific epimerization of monosaccharide moieties in disaccharides 61
The molecular and crystal structure of two trichloroethylidene acetals of epimerized monosaccharides 293
^{13}C labeling
Mass spectrometric studies of the thermal decomposition of carbohydrates using ^{13}C-labeled cellulose and glucose 219
Cluster analysis
Molecular dynamics simulations of maltose in water 11
Collision-induced dissociation
Mass spectrometric studies of the thermal decomposition of carbohydrates using ^{13}C-labeled cellulose and glucose 219
Colominic acid
2D NMR Analysis of the polylactone derivative of colominic acid. Complete ^{1}H and ^{13}C NMR chemical shift assignments 173
Computer modelling
The aqueous solution structure of a lipoteichoic acid from *Streptococcus pneumoniae* strain R6 containing 2,4-diamino-2,4,6-trideoxy-galactose: evidence for conformational mobility of the galactopyranose ring 79
Conformation
Molecular dynamics simulations of maltose in water 11
Preparation of methyl 4,6-di-*O*-acetyl-3-*C*-nitro-2-enopyranoside derivatives and their reduction with sodium borodeuteride 129
Crystal structure
Crystal structure and solid-state NMR analysis of methyl 2,3,6-tri-*O*-acetyl-2-deoxy-2-[3-(2-phenylethyl)-ureido]-β-D-glucopyranoside 1
Crystal and molecular structure of 1,6:3,4-dianhydro-2-*O*-*p*-tolylsulfonyl-β-D-galactopyranose 301
Cyclic nitroalkenes
Preparation of methyl 4,6-di-*O*-acetyl-3-*C*-nitro-2-enopyranoside derivatives and their reduction with sodium borodeuteride 129
1,6:3,4-Dianhydro-2-*O*-*p*-tolylsulfonyl-β-D-galactopyranose
Crystal and molecular structure of 1,6:3,4-dianhydro-2-*O*-*p*-tolylsulfonyl-β-D-galactopyranose 301
Dianhydro sugars
Crystal and molecular structure of 1,6:3,4-dianhydro-2-*O*-*p*-tolylsulfonyl-β-D-galactopyranose 301
Disaccharides
A convenient new pathway for stereospecific epimerization of monosaccharide moieties in disaccharides 61
$6^{I},6^{II}$-Dithiogentiotriose
Synthesis of sulfur-linked analogues of nigerose, laminarabiose, laminaratriose, gentiobiose, gentiotriose, and laminaran trisaccharide Y 99
$3^{I},6^{I}$-Dithiolaminaran trisaccharide Y
Synthesis of sulfur-linked analogues of nigerose, laminarabiose, laminaratriose, gentiobiose, gentiotriose, and laminaran trisaccharide Y 99
$3^{I},3^{II}$-Dithiolaminaratriose
Synthesis of sulfur-linked analogues of nigerose, laminarabiose, laminaratriose, gentiobiose, gentiotriose, and laminaran trisaccharide Y 99
2D NMR spectroscopy
2D NMR Analysis of the polylactone derivative of colominic acid. Complete ^{1}H and ^{13}C NMR chemical shift assignments 173
Dynamics
Molecular dynamics simulations of maltose in water 11

Electrospray-ionisation
Analysis of the structural heterogeneity of laminarin by electrospray-ionisation–mass spectrometry 187
Energy minima
Molecular dynamics simulations of maltose in water 11
Enterohemorrhagic
Structural studies of the *Escherichia coli* O26 O-antigen polysaccharide 155
Epimerization
A convenient new pathway for stereospecific epimerization of monosaccharide moieties in disaccharides 61
Escherichia coli
Structural studies of the *Escherichia coli* O26 O-antigen polysaccharide 155

Fungi
Structural characterization of extracellular polysaccharides produced by fungi from the genus *Pleurotus* 143

Galactan
Structure of a galactan from cell walls of *Bifidobacterium catenulatum* YIT4016 285
Glucan
Structural characterization of extracellular polysaccharides produced by fungi from the genus *Pleurotus* 143
β-(1 → 3)-D-Glucan
Analysis of the structural heterogeneity of laminarin by electrospray-ionisation–mass spectrometry 187
L-Glucitol
Preparation of D-sorbose from L-glucitol by bioconversion with *Pseudomonas* sp. Ac 183
Glucose pyrolysis
Mass spectrometric studies of the thermal decomposition of carbohydrates using ^{13}C-labeled cellulose and glucose 219
Glycolipid
Total synthesis of VIM-2 ganglioside isolated from human chronic myelogenous leukemia cells 237
Glycosaminoglycans
L-Iduronic acid derivatives as glycosyl donors 253
Glycosidase inhibitors
Synthesis of (+)-3,7,8-trideoxy-3,7-imino-D-*threo*-L-*galacto*-octitol and its inhibition of β-glucosidases 277
Glycosidation
L-Iduronic acid derivatives as glycosyl donors 253
Glycoside, α-linked
Synthesis of the methyl α-glycosides of a di-, tri-, and a tetra-saccharide fragment mimicking the terminus of the O-polysaccharide of *Vibrio cholerae* O:1, serotype Ogawa 47
Glycosyl donors
L-Iduronic acid derivatives as glycosyl donors 253

HMQC-TOCSY
NMR determination of the structure of Julibroside J_1 35
Hydrogen bonding
Crystal structure and solid-state NMR analysis of methyl 2,3,6-tri-*O*-acetyl-2-deoxy-2-[3-(2-phenylethyl)-ureido]-β-D-glucopyranoside 1

Iduronic acid
L-Iduronic acid derivatives as glycosyl donors 253
Iminoalditols
Synthesis of (+)-3,7,8-trideoxy-3,7-imino-D-*threo*-L-*galacto*-octitol and its inhibition of β-glucosidases 277
3,7-Iminooctitol
Synthesis of (+)-3,7,8-trideoxy-3,7-imino-D-*threo*-L-*galacto*-octitol and its inhibition of β-glucosidases 277
Imino sugar derivatives
New imino sugar derivatives from a 6-azido-6-deoxy sugar formazan 321
Immunostimulant polysaccharide repeating-unit thio analogue
Stereocontrolled synthesis of sulfur-linked analogues of the branched tetrasaccharide repeating-unit of the immunostimulant polysaccharide schizophyllan and of its β-(1 → 3)-branched, β-(1 → 6)-linked isomer 119
Inverted boat, $B_{1,4}$
The aqueous solution structure of a lipoteichoic acid from *Streptococcus pneumoniae* strain R6 containing 2,4-diamino-2,4,6-trideoxy-galactose: evidence for conformational mobility of the galactopyranose ring 79

Julibroside
NMR determination of the structure of Julibroside J_1 35

Laminarin
Analysis of the structural heterogeneity of laminarin by electrospray-ionisation–mass spectrometry 187
Lipopolysaccharide
Structural studies of the *Escherichia coli* O26 O-antigen polysaccharide 155
Lipoteichoic acid
The aqueous solution structure of a lipoteichoic acid from *Streptococcus pneumoniae* strain R6 containing 2,4-diamino-2,4,6-trideoxy-galactose: evidence for conformational mobility of the galactopyranose ring 79

Mass spectrometry
Analysis of the structural heterogeneity of laminarin by electrospray-ionisation–mass spectrometry 187
MD simulation
The aqueous solution structure of a lipoteichoic acid from *Streptococcus pneumoniae* strain R6 containing 2,4-diamino-2,4,6-trideoxy-galactose: evidence for conformational mobility of the galactopyranose ring 79
Meningococcal polysaccharide
Synthesis of 2-acetamido-3-*O*-acetyl-2-deoxy-D-mannose phosphoramidites 313
Methylation analysis
Structural characterization of extracellular polysaccharides produced by fungi from the genus *Pleurotus* 143

Michael reaction
Wittig chain extension of unprotected carbohydrates: formation of carbohydrate-derived α,β-unsaturated esters 69
Molecular beam mass spectrometry
Mass spectrometric studies of the thermal decomposition of carbohydrates using ^{13}C-labeled cellulose and glucose 219
Monosaccharides
The molecular and crystal structure of two trichloroethylidene acetals of epimerized monosaccharides 293

NMR
NMR determination of the structure of Julibroside J_1 35
The aqueous solution structure of a lipoteichoic acid from *Streptococcus pneumoniae* strain R6 containing 2,4-diamino-2,4,6-trideoxy-galactose: evidence for conformational mobility of the galactopyranose ring 79
Structural features of an arabinan fragment isolated from the water-soluble fraction of dehulled rapeseed 161
NMR investigations
New imino sugar derivatives from a 6-azido-6-deoxy sugar formazan 321
NOE
The aqueous solution structure of a lipoteichoic acid from *Streptococcus pneumoniae* strain R6 containing 2,4-diamino-2,4,6-trideoxy-galactose: evidence for conformational mobility of the galactopyranose ring 79

Oligosaccharides
Synthesis of the methyl α-glycosides of a di-, tri-, and a tetra-saccharide fragment mimicking the terminus of the O-polysaccharide of *Vibrio cholerae* O:1, serotype Ogawa 47

Phosphorus sugar
Synthesis of 3-acetamido-1,2,4-tri-*O*-acetyl-3,5-dideoxy-5-*C*-[(*R*)- and (*S*)-phenylphosphinyl]-α-and -β-D-xylopyranoses 307
Phytoalexin elicitor repeating-unit thio analogue
Stereocontrolled synthesis of sulfur-linked analogues of the branched tetrasaccharide repeating-unit of the immunostimulant polysaccharide schizophyllan and of its β-(1 → 3)-branched, β-(1 → 6)-linked isomer 119
Pleurotus
Structural characterization of extracellular polysaccharides produced by fungi from the genus *Pleurotus* 143
Polylactone
2D NMR Analysis of the polylactone derivative of colominic acid. Complete ^1H and ^{13}C NMR chemical shift assignments 173
Polysaccharide
Synthesis of the methyl α-glycosides of a di-, tri-, and a tetra-saccharide fragment mimicking the terminus of the O-polysaccharide of *Vibrio cholerae* O:1, serotype Ogawa 47
Polysaccharides
Structural characterization of extracellular polysaccharides produced by fungi from the genus *Pleurotus* 143
Pseudomonas sp.
Preparation of D-sorbose from L-glucitol by bioconversion with *Pseudomonas* sp. Ac 183

Rapeseed
Structural features of an arabinan fragment isolated from the water-soluble fraction of dehulled rapeseed 161
Ring conformation
The aqueous solution structure of a lipoteichoic acid from *Streptococcus pneumoniae* strain R6 containing 2,4-diamino-2,4,6-trideoxy-galactose: evidence for conformational mobility of the galactopyranose ring 79

Schizophyllan tetrasaccharide repeating-unit thio analogue
Stereocontrolled synthesis of sulfur-linked analogues of the branched tetrasaccharide repeating-unit of the immunostimulant polysaccharide schizophyllan and of its β-(1 → 3)-branched, β-(1 → 6)-linked isomer 119
Skew, $^5S_1$
The aqueous solution structure of a lipoteichoic acid from *Streptococcus pneumoniae* strain R6 containing 2,4-diamino-2,4,6-trideoxy-galactose: evidence for conformational mobility of the galactopyranose ring 79
Smith degradation
Analysis of the structural heterogeneity of laminarin by electrospray-ionisation–mass spectrometry 187
D-Sorbose
Preparation of D-sorbose from L-glucitol by bioconversion with *Pseudomonas* sp. Ac 183
Starch granules
Acid modification of starch granules in alcohols: effects of temperature, acid concentration, and starch concentration 203
Stereochemistry of reduction
Preparation of methyl 4,6-di-*O*-acetyl-3-*C*-nitro-2-enopyranoside derivatives and their reduction with sodium borodeuteride 129

Streptococcus pneumoniae
The aqueous solution structure of a lipoteichoic acid from *Streptococcus pneumoniae* strain R6 containing 2,4-diamino-2,4,6-trideoxy-galactose: evidence for conformational mobility of the galactopyranose ring 79
Sugar formazans
New imino sugar derivatives from a 6-azido-6-deoxy sugar formazan 321
Sugars, unprotected
Wittig chain extension of unprotected carbohydrates: formation of carbohydrate-derived α,β-unsaturated esters 69
Sulfur-linked oligosaccharides
Synthesis of sulfur-linked analogues of nigerose, laminarabiose, laminaratriose, gentiobiose, gentiotriose, and laminaran trisaccharide Y 99
Sulfur-linked thiooligosaccharides
Stereocontrolled synthesis of sulfur-linked analogues of the branched tetrasaccharide repeating-unit of the immunostimulant polysaccharide schizophyllan and of its β-(1 → 3)-branched, β-(1 → 6)-linked isomer 119
Synthesis
Synthesis of the methyl α-glycosides of a di-, tri-, and a tetra-saccharide fragment mimicking the terminus of the O-polysaccharide of *Vibrio cholerae* O:1, serotype Ogawa 47
L-Iduronic acid derivatives as glycosyl donors 253
Synthesis, ganglioside
Total synthesis of VIM-2 ganglioside isolated from human chronic myelogenous leukemia cells 237
Synthesis, VIM-2
Total synthesis of VIM-2 ganglioside isolated from human chronic myelogenous leukemia cells 237

6-Thiogentiobiose
Synthesis of sulfur-linked analogues of nigerose, laminarabiose, laminaratriose, gentiobiose, gentiotriose, and laminaran trisaccharide Y 99
3-Thiolaminarabiose
Synthesis of sulfur-linked analogues of nigerose, laminarabiose, laminaratriose, gentiobiose, gentiotriose, and laminaran trisaccharide Y 99
3-Thionigerose
Synthesis of sulfur-linked analogues of nigerose, laminarabiose, laminaratriose, gentiobiose, gentiotriose, and laminaran trisaccharide Y 99
2,4,6-Trideoxy-galactose
The aqueous solution structure of a lipoteichoic acid from *Streptococcus pneumoniae* strain R6 containing 2,4-diamino-2,4,6-trideoxy-galactose: evidence for conformational mobility of the galactopyranose ring 79
Triphenylphosphine
New imino sugar derivatives from a 6-azido-6-deoxy sugar formazan 321

Ureido sugars
Crystal structure and solid-state NMR analysis of methyl 2,3,6-tri-*O*-acetyl-2-deoxy-2-[3-(2-phenylethyl)-ureido]-β-D-glucopyranoside 1
Vibrio cholerae
Synthesis of the methyl α-glycosides of a di-, tri-, and a tetra-saccharide fragment mimicking the terminus of the O-polysaccharide of *Vibrio cholerae* O:1, serotype Ogawa 47

Wittig reaction
Wittig chain extension of unprotected carbohydrates: formation of carbohydrate-derived α,β-unsaturated esters 69

X-ray crystallography
The molecular and crystal structure of two trichloroethylidene acetals of epimerized monosaccharides 293
Xylopyranose
Synthesis of 3-acetamido-1,2,4-tri-*O*-acetyl-3,5-dideoxy-5-*C*-[(*R*)- and (*S*)-phenylphosphinyl]-α-and -β-D-xylopyranoses 307

Zaragozic acid
An improved synthesis of 1,6-anhydro-2,3-di-*O*-benzyl-β-D-*xylo*-hexopyranos-4-ulose 179